

STANDARD ARRIVAL CHART - INSTRUMENT (STAR) - ICAO


TRANSITION ALTITUDE
5000 FT

APP 129.925
134.850 (HX)
TWR 118.105
ATIS 120.180

RIGA (EVRA)
RNAV RWY18
(direction WEST to TICAC)

MAX IAS 250 kt BELOW FL100

LAPSA 2S, ORVIX 2S, TENSI 2S



Changes: Noise abatement areas withdrawn, R30, R31 established, chart identification and PBN box updated, editorial.

RNAV PROCEDURE CODING TABLES

LAPSA 2S

Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	IF	LAPSA	-	-	+10.0	-	-	+140 FL/-150 FL	-280	RNAV 1
20	TF	RA643	-	135 (145.3)	+10.0	13.7	R	-120 FL		RNAV 1
30	TF	RA641	-	135 (145.5)	+10.0	10.0	L	+080 FL/-100 FL	-240	RNAV 1
40	TF	VEKZO	-	086 (095.7)	+10.0	10.0	L	+060 FL/-070 FL	-230	RNAV 1
50	TF	TICAC	-	079 (089.3)	+10.0	10.3	L	@5000	-210	RNAV 1

ORVIX 2S

Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	IF	ORVIX	-	-	+10.0	-	-	+140 FL/-150 FL	-280	RNAV 1
20	TF	RA640	-	063 (073.1)	+10.0	13.0	L	-125 FL		RNAV 1
30	TF	RA641	-	063 (073.4)	+10.0	10.0	L	+080 FL/-100 FL	-240	RNAV 1
40	TF	VEKZO	-	086 (095.7)	+10.0	10.0	R	+060 FL/-070 FL	-230	RNAV 1
50	TF	TICAC	-	079 (089.3)	+10.0	10.3	L	@5000	-210	RNAV 1

TENSI 2S

Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	IF	TENSI	-	-	+10.0	-	-	+150 FL/-160 FL	-280	RNAV 1
20	TF	RA642	-	087(096.8)	+10.0	14.6	L	-120 FL		RNAV 1
30	TF	RA641	-	087 (097.5)	+10.0	10.0	R	+080 FL/-100 FL	-240	RNAV 1
40	TF	VEKZO	-	086 (095.7)	+10.0	10.0	L	+060 FL/-070 FL	-230	RNAV 1
50	TF	TICAC	-	079 (089.3)	+10.0	10.3	L	@5000	-210	RNAV 1

WAYPOINT COORDINATES

WPT	COORD	
LAPSA	572013.00N	0223813.00E
ORVIX	565409.00N	0222245.00E
TENSI	570347.00N	0221820.00E
TICAC	565948.40N	0233954.20E
VEKZO	565941.96N	0232106.90E

WPT	COORD	
RA640	565752.69N	0224524.30E
RA641	570042.44N	0230256.00E
RA642	570201.47N	0224448.20E
RA643	570856.23N	0225234.30E

RNAV HOLDINGS

Waypoint Identifier	INBD °M (°T)	Turn Direction	MNM/MAX HLDG	Speed KT	Time
VEKZO 565941.96N 0232106.90E	086 (095.7)	L	+6000/-140FL	-240	1 MIN
			+150FL/-280FL	-265	1.5 MIN