

STANDARD DEPARTURE CHART - INSTRUMENT (SID) - ICAO


TRANSITION ALTITUDE
5000 FT

AFIS 129.400

LIEPAJA (EVLA)
RNP RWY 06


MAX 250 KIAS BELOW FL100

BIENE 1C, DESON 1C, LASMA 1C, RUCAV 1C, TOLBI 1C



SID TOLBI 1C for MAX ACFT CAT B

NOTE:
IFR GAT arriving at and/or departing from Liepaja aerodrome is allowed to cross active Military Restricted and Military Danger areas, provided that the crossing has been confirmed by the Liepaja AFIS unit for IFR GAT traffic.



Changes: D43 and D44 established, note added.

PROCEDURE CODING TABLES

BIENE 1C										
Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	CF	LA701	Y	061(70.3)	+9.0	2.7	-	+1500	-210	RNP 1
20	TF	LA703	-	050(59.1)	+9.0	9.6	L	-060 FL	-	RNP 1
30	TF	BIENE	-	051(60.4)	+9.0	17.3	R	+110 FL	-	RNP 1

DESON 1C										
Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	CF	LA701	Y	061(070.3)	+9.0	2.7	-	+1500	-210	RNP 1
20	DF	LA702	-	-	+9.0	-	L	+060 FL	-	RNP 1
30	TF	DESON	-	316(325)	+9.0	25.5	R	+100 FL	-	RNP 1

LASMA 1C										
Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	CF	LA701	Y	061(070.3)	+9.0	2.7	-	+1500	-210	RNP 1
20	DF	LA702	-	-	+9.0	-	L	+060 FL	-	RNP 1
30	TF	LASMA	-	244(252.8)	+9.0	22.6	L	+100 FL	-	RNP 1

RUCAV 1C										
Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	CF	LA701	Y	061(070.3)	+9.0	2.7	-	+1500	-210	RNP 1
20	DF	RUCAV	-	-	+9.0	-	R	+110 FL	-	RNP 1

TOLBI 1C										
Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course °M (°T)	Magnetic Variation (°)	Distance NM	Turn Direction	Altitude FT	Speed KT	Navigation Specification
10	CF	LA701	Y	061(070.3)	+9.0	2.7	-	+1500	-	RNP 1
20	DF	LA704	-	-	+9.0	-	L	-4000	-	RNP 1
30	TF	LA705	-	341(349.9)	+9.0	11.5	R	+080 FL	-	RNP 1
40	TF	TOLBI	-	040(048.9)	+9.0	8.8	R	+110 FL	-	RNP 1

WAYPOINT COORDINATES

WPT	COORD	
BIENE	56°45'30.32"N	021°53'32.04"E
DESON	56°53'41.00"N	020°25'13.00"E
LA701	56°32'08.42"N	021°11'20.04"E
LA702	56°32'54.20"N	020°51'49.87"E
LA703	56°37'01.05"N	021°26'10.64"E
LA704	56°38'01.17"N	021°10'04.81"E
LA705	56°49'19.70"N	021°06'24.91"E
LASMA	56°26'07.00"N	020°12'55.00"E
RUCAV	56°04'26.00"N	021°05'37.00"E
TOLBI	56°55'04.00"N	021°18'27.00"E