



Changes: M864 route segment ADAXA-NINTA withdrawn.

ATS airspace classification

<b>FIR</b> UNL FL 660 FL 095 GND Riga ACC	<b>CTA</b> Riga FL 660 FL 095 Riga ACC	<b>TMA</b> Riga FL 285 1500 FT MSL Riga APP	<b>AOR</b> Riga UNL FL 660 FL 095 GND Riga ACC
--	--	---	--

Area minimum altitude (AMA)

Each 1° quadrilateral contains Area minimum altitude (AMA) which represents the lowest altitude which may be used under instrument meteorological conditions (IMC). The AMA provides a minimum clearance of 1000 FT above all obstacles in the quadrilateral. It is represented in hundreds of feet above mean sea level.

Example: 1700 FT - 17

NOTE: All specified AMA values apply Riga FIR (EVRR).

Note:

- Altitudes and elevations are in FT
- Distances are in NM and tracks are TRUE bearing
- For RNAV routes - RNAV 5
- Holdings - ref. ENR 3.6
- HX - No specific working hours
- Legend see GEN 2.3 (Chart Symbols)
- WPT PINIX, PIVAX for State ACFT only
- TRA and TSA are depicted in the charts ENR 6.4, ENR 6.5

*INTENTIONALLY LEFT BLANK*